

## TECHNICAL DATA SHEET

### UNIQUE Q864 GEL G40 -37°C

#### Product Information:

Revision index / date: A, January 2018

#### UNIQUE Q864 GEL G40 -37°C

#### Description:

Organic coolant (with silicates) based on ethylene glycol, without phosphate, without nitrite, without borate and without amine that complies with the requirements of the German car manufacturers among others.

For optimum results, do not mix with other coolants.

This product is ready to use.

#### Product features:

- Protects the cooling system from: Corrosion
- Overheating
- Freezing
- Protects the engine from: corrosion
- Deposits

#### Application:

Passenger cars & light commercial vehicles

#### OEM approvals:

AUDI TL 774 G, BENTLEY TL 774 G, BUGATTI TL 774 G, LAMBORGHINI TL 774 G, PORSCHE (from 1997): 911, Boxster, Cayman, Cayenne, Panamera, SEAT TL 774 G, SKODA TL 774 G VW TL 774 G  
Standards: AS 2108-2004, ASTM D 3306, ASTM D 4985, ASTM D 6210, CUNA NC 956-16, ÖNORM V 5123, BS 6580: 2010, SAE J1034 , SANS J1034, SANS 1251: 2005 and SH 0521-1999.

#### Packaging:

4 X 5 L, 1 X 20 L, 1X 60 L, 1 X 210 L, 1000 L

**Typical data:**

Characteristics	Method	Units	Average	Mini	Maxi
Aspect	Visual	-	Limpid homogenous		
Color	Visual	-	Pink Purple	-	-
Odor	Olfactory	-	Sweet, characteristics		
Density	D 20/4		1,077	-	-
Flash point	NF M 07 011	°C	Without	-	-
Freezing point	ASTM D 1177	°C	-38,0	-37,0	-
pH	NF T 78 103	pH	8,4	7,5	8,
Alkalinity reserve	NF T 78 101	ml HCL 0,1N	10,0	8,0	12,0
Glycol type	CPG	%			
Ethylene glycol			50	45	-
Propylene glycol			0	-	-
Boiling point	NF R 15 602-1	°C	108	106	-
Chip/filter paper method 20%	DIN 51 360-2	Citation	4	-	4
40%			2		2
Corrosion Cooper Solder Brass Iron Cast iron	VW TL 774-G	Porte diploids end g/m <sup>2</sup>	0,1  0,1 -0,4 -0,1 -0,1		3  3 3 3 3

The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification. The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies.